



Quantum  
Spark™

YOU DESERVE THE BEST SECURITY

DATASHEET  
**QUANTUM SPARK™ 1900, 2000**  
**FIREWALLS**

# QUANTUM SPARK 1900, 2000 SECURITY GATEWAYS



## Top Security Effectiveness

Check Point #1 for the 3rd year in a row with 99.9% malware block rate in Miercom Enterprise & Hybrid Mesh Firewall Report 2025 Benchmark

## Named a Leader by Top Analyst Firms

Forrester Wave™ for Zero Trust Platform Providers, Q3 2023  
Gartner® Firewall Magic Quadrant™ (2022)

## AI/ML powered Threat Prevention

Protect networks and users from zero-days, phishing, DNS, and ransomware attacks

## Hyperscale Network Security

On-demand expansion, load balancing firewall clustering, and resilient access to mission-critical applications

**Industry's best security used by the world's largest enterprises, tailored to protect your SMB from cyberattacks.**

Quantum Spark 1900 and 2000 NGFWs are fast, high port density firewalls with integrated AI ML security to prevent new and novel threats. Integrated capabilities like SD-WAN and IoT security provide faster Internet connectivity, application performance, proven security, and maximum uptime with management made easy via an intuitive web interface.

## SPARK 1900, 2000 HIGHLIGHTS

Next Gen Firewall

up to 10 Gbps

Threat Prevention

up to 5 Gbps

Interfaces


24 ports

## AI-Powered advanced security, uncompromising performance

The Check Point Quantum Spark 1900 and 2000 security gateways deliver enterprise-grade security in simple, affordable, all-in-one security solutions in a 1 Rack Unit (RU) form factor to protect small to mid-size business employees, networks, and data from cyber-theft. High threat prevention throughput and high port capacity with 18x1GbE, 2x2.5GbE and 4x10GbE network interfaces make these gateways ideal for larger branch and SMB networks.

### Comprehensive, Industry-Leading Security

- Next Generation Firewall
- Site-to-Site, Remote Access VPN
- Application Control and Web Filtering
- Intrusion Prevention
- Antivirus and Anti-Bot
- Anti-Spam Email Security
- SandBlast Threat Emulation (sandboxing)
- Integrated SD-WAN network optimization



### Part of the Quantum Cyber Security Family


R81 software for SMB increases performance and brings enterprise-grade security to small and mid-sized businesses.

Centrally managed SMB gateways support:

- Unified access policy: firewall, application control, URLF
- Policy layers and sub-policies
- Acceleration of domain, dynamic and time objects
- Multicore VPN and VPN acceleration
- Smart Accel 30% performance improvement of low risk, high bandwidth apps

### High Port Capacity for Large SMB Networks

The 1900 and 2000 have a 18 1GbE copper LAN switch, ideal for segmenting multiple networks by department or function. Two copper 2.5GbE ports and four fiber 10GbE SFP+ LAN ports are also available. In addition, the 1GbE copper or fiber WAN and DMZ ports offer connection flexibility. The DMZ can also be used as a second WAN port.



**1900, 2000 Port Configuration**

## SPECIFICATIONS

	1900	2000
<b>Enterprise Testing Conditions</b>		
Threat Prevention <sup>1</sup>	4 Gbps	5 Gbps
Next Generation Firewall <sup>2</sup>	8 Gbps	10 Gbps
IPS Throughput	9 Gbps	11 Gbps
Firewall Throughput	16 Gbps	20 Gbps
<b>RFC 3511, 2544, 2647, 1242 Performance (LAB)</b>		
Firewall 1518 Byte UDP Packets	32 Gbps	40 Gbps
VPN AES-128 Throughput	5 Gbps	6 Gbps
Connections per Second	90,000	100,000
Concurrent Connections	4,200,000	4,200,000
<b>Software</b>		
Security	Firewall, VPN, User Aware, QoS, Application Control, URLF, IPS, Anti-Bot, Antivirus, Anti-Spam, sandboxing	
Unicast, Multicast Routing and Clustering	OSPFv2, BGPv4 and 4+, RIP, PIM (SM, DM, SSM), IGMP, ClusterXL High Availability	
IPv6	local network and internet connections, dual stack tunneling IPv4 over IPv6 networks, prefix delegation	
Mobile Access License (Users)	1000 remote SNX or Mobile VPN client users	
<b>Hardware</b>		
WAN Port	1x 1GbE RJ-45 port / 1GbE SFP+ ports (shared)	
DMZ Port	1x 1GbE RJ-45 port / 1GbE SFP+ ports (shared)	
LAN 1 GbE and 2.5 GbE copper Ports	2x 2.5GbE Base-T RJ-45 plus 16x 1 GbE RJ-45 ports	
LAN 10 GbE fiber Ports	4x10GbE SFP+ ports	
Console Port	1x USB-C or RJ45	
USB Ports	2x USB 3.0	
Memory	16 GB DDR	
Storage	512 GB SSD and Micro-SD slot with 32 and 64 GB card options	
<b>Dimensions</b>		
Enclosure	1RU	
Dimensions (W x D x H)	432 x 300 x 44 mm (16.93 x 11.8 x 1.74 in.)	
Weight	6.76 kg (14.9 lbs.)	
<b>Environment</b>		
Operating / Storage	0°C ~ 40°C / -45°C ~ 60°C (5~95%, non-condensing)	
<b>Power Requirements</b>		
AC Input	100 – 240VAC, 50 – 60 Hz	
Power Supply Rating	two redundant 150W power supplies	
Power Consumption (Max)	93.6W	
Heat Dissipation	319.3 BTU/hr.	
<b>Certifications</b>		
Safety   Emissions   Environment	UL/c-UL 62368-1 , IEC 62368-1 CB / EMC, EMI EN55024, EN55032 Class B, VCCI, AS, NZS CISPR 32, IC ICES 03, FCC: Part 15 Class B / RoHS, REACH, WEEE	


1. Includes Firewall, Application Control, URL Filtering, IPS, Antivirus, Anti-Bot, SandBlast Zero-Day Protection with logging.

2. Includes Firewall, Application Control, IPS with logging.

## ORDERING QUANTUM SPARK 1900, 2000

### 1900, 2000 Firewall

1. SD card slot
2. 2x 2.5GbE LAN ports
3. 16x 1GbE LAN switch
4. 1x 1GbE copper/fiber DMZ port
5. 4x 10GbE/1GbE SFP+ LAN ports
6. Console port (USB-C or RJ45)
7. 1x 1GbE copper/fiber WAN port
8. USB ports
9. 2x power supplies
10. Fans



SECURITY APPLIANCES <sup>1</sup>	
1900 Security Appliance, includes SandBlast (SNBT) Security Subscription Package for 1 Year	CPAP-SG1900-SNBT
2000 Security Appliance, includes SandBlast (SNBT) Security Subscription Package for 1 Year	CPAP-SG2000-SNBT

ACCESSORIES	
SFP+ Short range transceiver	CPAC-1800-TR-10SR
SFP+ Long range transceiver	CPAC-1800-TR-10LR
SD memory card 32 GB	CPAC-1500-32GB-SD
SD memory card 64 GB	CPAC-1500-64GB-SD

<sup>1</sup> Add a NGFW, NGTP or NGTX subscription. Promotion bundles for 3 and 5 years include the security appliance, support and subscription package (see below). License includes SMP cloud management.

IOT, SD-WAN AND MOBILE SOFTWARE BLADES <sup>1</sup>	
Mobile Access Blade for 50 concurrent connections	CPSB-MOB-50
Quantum IoT Protect for 1 year for 15x5 Firewall (1535, 1555, 1575, 1595)	CPSB-IOTP-15x5-1Y
Quantum SD-WAN for 1 year for 15x5 Firewall (1535, 1555, 1575, 1595)	CPSB-SDWAN-15x5-1Y

<sup>1</sup> Concurrent remote SNX or Mobile VPN client users. The MOB license is additive. The full Mobile Access web portal functionality is not supported.

## SUBSCRIPTION SERVICES

See the table below for security capabilities included in the NGFW, NGTP and SNBT services packages. IoT and SD-WAN are ordered a la carte.

SERVICE	SERVICES HIGHLIGHTS
<b>Next-Gen Firewall (NGFW):</b> segment networks and apply zero trust policy with IPS	<ul style="list-style-type: none"> <li>Accept, prevent, schedule, and apply traffic-shaping based controls to application traffic</li> <li>10,000+ pre-defined apps or customize your own application</li> <li>Protect vulnerable systems with 12,000+ IPS protections</li> </ul>
<b>Next-Gen Threat Prevention (NGTP):</b> AI Deep Learning DNS security with antivirus and anti-bot prevents threats	<ul style="list-style-type: none"> <li>DNS security prevents Command &amp; Control (C2) connections and blocks data theft through DNS tunneling</li> <li>Antivirus stops incoming malicious files and links in web, email, FTP and SMB content</li> <li>Anti-Bot detects infected hosts and prevents communications with external C2 servers</li> <li>Apply web and application control using 100+ categories or customize your own</li> </ul>
<b>SandBlast (SNBT):</b> comprehensive, multi-layered defense with sandboxing protection from unknown and zero-day threats	<ul style="list-style-type: none"> <li>Average emulation time for unknown files that require full sandbox evaluation is under 100 seconds</li> <li>CPU-level, OS-level and static file analysis</li> <li>Maximal file size for Emulation is 15MB</li> </ul>
<b>IoT Network Protection:</b> simple, effective, autonomous discovery and protection of IoT devices in minutes	<ul style="list-style-type: none"> <li>Passive and active discovery of enterprise IoT devices with autonomous mapping to 200+ profiles</li> <li>IoT attributes include function, manufacturer, model, risk, confidence, VLAN, IP and MAC address</li> <li>Automatically creates and applies an inline zero-trust IoT policy layer</li> </ul>
<b>SD-WAN:</b> reliable and optimum network connectivity at the lowest cost	<ul style="list-style-type: none"> <li>Link aggregation and link prioritization according to latency, jitter, and packet loss</li> <li>Advanced multi-path orchestration and steering for 10,000+ apps</li> <li>Sub-second failover for overlay and supported applications</li> <li>SLA monitoring and autonomous link swapping</li> </ul>

## Services Bundles

	NGFW access control with IPS	NGTP prevent known threats	SNBT prevent zero-day threats
Security Appliance	✓	✓	✓
Premium Support (24 x 7 response, software upgrades and more)	✓	✓	✓
PRO Support option (proactive health monitoring service)	✓	✓	✓
Firewall	✓	✓	✓
VPN	✓	✓	✓
Mobile Access (includes 500 concurrent users in the 1900, 2000)	✓	✓	✓
Identity Awareness	✓	✓	✓
Application Control	✓	✓	✓
Intrusion Prevention System	✓	✓	✓
SD-WAN Network Optimization Services for Web UI/SMP	✓	✓	✓
URL Filtering		✓	✓
Antivirus and Anti-Bot		✓	✓
Anti-Spam and Email Security		✓	✓
DNS Security		✓	✓
Threat Emulation (sandboxing)			✓
IoT Network Protection Services for Web UI/SMP	✓	✓	✓
IoT Network protection for SMBs*			✓
SD-WAN network optimization for SMBs*	✓	✓	✓
IoT network protection for enterprises**	Optional	Optional	Optional
SD-WAN network optimization for enterprises**	Optional	Optional	Optional

Optional security capabilities can be ordered a-la-carte or separately.

\* Starting from release R81.10.10. and supported on Web UI and Spark Management only. SD-WAN does not support VPN overlay.

CONTACT US

North America - +1-866-488-6691 | International - +44-125-333-5558 | [www.checkpoint.com](http://www.checkpoint.com)

\*\* Supported on Smart-1 only